

# ***can-am***®

## **OFF-ROAD**



**Outlander 700 and  
Outlander PRO Product Spec Book**

**2023**

---

Vehicle Specifications, Accessories and Parts



# TABLE OF CONTENTS

## CAN-AM ATVs

ACCESSORY WORK BUNDLE	7
2023 Outlander PRO HD5	8
2023 Outlander PRO XU HD5/HD7	10
2023 Outlander MAX XT 700	12
COMPARATIVE CHART	14

## ATV ACCESSORIES

ATV ACCESSORY COMPATIBILITY GUIDE	17
LinQ Accessories: Easy On, Easy Off Cargo	18
Cargo & Storage	23
Can-Am Windshields	24
Handlebars & Mirrors	25
Skid Plates	25
Bumpers & Guards	26
Electrical & Lights	27
Winches	30
Hitches	31
Performance	31
Covers & Add-Ons	32
Apache Track Systems	33
ProMount Plows	35
Tyres	39

## PARTS

KEEP AN EYE ON THESE PARTS	42
----------------------------	----

### CAN-AMOFFROAD.COM

©2023 Bombardier Recreational Products Inc (BRP). All rights reserved. ®, TM and the BRP logo are registered trademarks of Bombardier Recreational Products Inc. or its affiliates. All other trademarks are the property of their respective owners. BRP reserves the right at any time to discontinue or change specifications, price, design, features, models or equipment without incurring any obligation. Some models depicted may include optional equipment. Products performance may vary depending on weather, temperature, altitude, driving ability and driver/passenger weight. BRP recommends that all ATV-SSV drivers take a training course. ATV and SSV can be hazardous to operate. Never carry passengers on any ATV not specifically designated for such use. Carefully read the vehicle's operator's guide. Follow all instructional and safety materials and observe applicable law and regulations. ATV and SSV are for off-road use only; never ride on paved surfaces or public roads. For your safety, the operator and passenger should wear a helmet, eye protection and other protective clothing. Always remember that riding, alcohol and drugs don't mix. Never engage in stunt driving. Avoid excessive speeds and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorized BRP dealer for details and visit can-am.brp.com







## **BRP 12 MONTH LIMITED WARRANTY ON GENUINE PARTS & ACCESSORIES\***

For new Can-Am accessories & genuine parts products sold through BRP & our authorised dealer network.

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty. See the complete limited warranty applicable to your product, or contact your authorized Can-Am Off-Road dealer. Applicable only to BRP products purchased at authorized BRP dealers or distributors. This limited warranty may not apply to factory-installed parts and accessories. Always refer to the product-specific limited warranty. Some states and provinces do not allow for some disclaimers, limitations and exclusions and, as a result, you have other specific rights.



# CUSTOMIZING MADE EASY



**1**

Select the model.

**2**

Select the package.

**3**

Customise colour, engine, and accessories (or accessory bundles) for your vehicle.

**4**

Click “Save” or “Send to dealer”.



If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailor-made for our riders' needs has never been easier. Scan the QR code and follow the step-by-step above.

**BUILD  
YOURS NOW**





---

**CAN-AM ATVs**

---





# BUNDLE UP TO NEVER COMPROMISE.

Ask your local dealer about the  
all-new Can-Am Outlander PRO  
work accessories bundle.

## STORAGE

Don't forget about storage for your Can-Am Outlander. Watertight design with quick & easy access for when you need it most; ideal for storing weather-resistant items, such as ropes, tow straps, winch accessories, or cold drinks.



### **NEW** LinQ Cargo Basket (90L) 715005274

- Made of polyethylene.
- Storage capacity of 23 gal (90 L).
- Easy to install and remove with the LinQ system.
- Can be installed on the front or rear racks.
- Six handles on the contour to easily install bungee cords.
- Ability to install LinQ Tool Holders (715008896) to the basket.

## BUMPERS

Having a front bumper on an ATV can enhance safety and functionality for New Zealand farmers. The bumper protects the vehicle and rider from impacts, helps carry equipment and supplies, and provides a mount for accessories such as lights and winches. A front bumper can improve the overall utility of an ATV, making it a more valuable tool on the farm.



### **NEW** XU Front Bumper 715006614

- Heavy-duty tubular construction provides the most complete protection for your vehicle.
- Protects vehicle lights and corners.
- Winch compatible.
- Integrated tow hook.
- Similar to the XU models' bumper.

## FUEL CADDY

A LinQ Fuel Caddy can help you transport and store fuel for machinery & vehicles efficiently, saving time, reducing downtime and increasing productivity. They're designed for safety and cost-effectiveness, preventing fuel losses from spills and evaporation. Ideal for remote areas, caddies provide easy access to fuel.



### **NEW** LinQ Fuel Caddy - 15 Liters 860202246

- Quick, easy and secure installation with LinQ system.
- No-Spill spout for easy use.
- 15 Liter capacity.
- Meet the new latest Flame Mitigation Device (FMD) standard.
- Must be installed in the Front Cargo Compartment.
- LinQ Base Installation Kit 860201806 required

# 2023 OUTLANDER PRO HD5



Desert Tan / HD5

## PACKAGE HIGHLIGHTS

- Visco-Lok<sup>†</sup> auto-locking front differential
- 26 in. 6-ply rating tyres
- Premium front bumper, rear bumper, full skid plate

ENGINE	HD5
Type	40 hp / 37 lb-ft, Rotax <sup>®</sup> ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with work calibration Extra low L / H / N / R / P
Drive Train	Selectable 2WD / 4WD with Visco-Lok auto-locking front differential
Driving Assistance	N/A
Power Steering	N/A

## DIMENSIONS & CAPACITIES

Estimated Dry Weight*	800 lb (362.9 kg)
L x W x H	89.9 x 48.8 x 48.2 in. (228.4 x 124 x 122.4 cm)
Wheelbase	53 in. (134.6 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,650 lb (748.4 kg)
Fuel Capacity	5.1 gal (19.3 L)

## SUSPENSIONS

Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube

## TYRES & WHEELS

Front Tyres	Carlisle ACT 6-ply 26 x 8/10 x 12 in.
Rear Tyres	Carlisle ACT 6-ply 26 x 8/10 x 12 in.
Wheels	12 in. steel

## BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

## FEATURES

Gauge	4.5 in. digital display
Instrumentation	N/A
Ignition	Mechanical key
Lighting	LED headlights
Winch	N/A
Seat	Standard
Handlebar	Standard
Protection	Premium front bumper, rear bumper, central skidplate

## WARRANTY

Factory Warranty	3-year unlimited km powertrain & ROTAX engine warranty and 1-year warranty & unlimited km on the rest of the unit.
------------------	--

© 2023 Bombardier Recreational Products Inc (BRP). All rights reserved. ®, TM and the BRP logo are registered trademarks of Bombardier Recreational Products Inc. or its affiliates. In the U.S.A., the products are distributed by BRP US Inc. \*Base model dry weight shown. † Visco-Lok is a trademark of GKN Viscodrives GmbH. All other trademarks are the property of their respective owners. For other jurisdictions, see your local dealer. Because of our ongoing commitment to product quality and innovation, BRP reserves the right at any time to discontinue or change specifications, price, design, features, models or equipment without incurring any obligation. Ride responsibly. BRP highly recommends that all ATV drivers take a training course. ATVs can be hazardous to operate. For your safety, the operator and passenger should wear a helmet, eye protection and other protective clothing. Always remember that riding, alcohol and drugs don't mix. Never ride on paved surfaces or public roads. Never engage in stunt driving. Avoid excessive speeds and be particularly careful on difficult terrain. ATVs with engine sizes of greater than 90 cc are recommended for use only by those aged 16 and older. Never carry passengers on any ATV not specifically designated for such use.





## Feature highlights



### Differential That Makes a Difference

The Can-Am Outlander PRO has a Visco-Lok<sup>®</sup> auto-locking front differential that delivers grip and traction for days wherever you're riding.



### Let's Count to Six

The Can-Am Outlander PRO sits on 26 in. 6-ply rating tyres that deliver more strength and capacity every time you need it. If you plan to haul, tow, or carry heavy loads with your vehicle, you're in good hands driving on these tyres. The weather shouldn't stop you from getting work done.



### Protection Where It Counts

This model is equipped with a premium front bumper, a full skid plate and a rear bumper to cover all angles. Think of these as the protective armor of your Can-Am Outlander PRO: no matter the terrain, this ATV is protected from the worst of it and rolls off obstacles.



# 2023 OUTLANDER PRO XU HD5/HD7



Tundra Green / HD5 / HD7

ENGINES	HD5	HD7
Type	40 hp / 37 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled	50 hp / 41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)	
Transmission	pDrive primary CVT with work calibration Extra low L / H / N / R / P	
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential	
Driving Assistance	Intelligent Engine Braking (iEB™) Speed limiter	Work/Standard/Sport modes Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS)	

## SUSPENSIONS

Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube

## TYRES & WHEELS

Front Tyres	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in.
Rear Tyres	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in.
Wheels	12 in. cast aluminum

## BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

## PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- Speed limiter
- Intelligent Engine Braking (iEB™)
- Visco-4Lok front differential
- 26 in. XPS Trail King, 6-ply rating tyres with 12 in. cast-aluminum wheels
- Premium front bumper, rear bumper, full skid plate
- Premium glovebox with cellphone holder and USB charger

## DIMENSIONS & CAPACITIES

Estimated Dry Weight*	816 lb (370.1 kg)
L x W x H	89.9 x 48.8 x 48.2 in. (228.4 x 124 x 122.4 cm)
Wheelbase	53 in. (134.6 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,650 lb (748.4 kg)
Fuel Capacity	5.1 gal (19.3L)

## FEATURES

Gauge	4.5 in. digital display
Instrumentation	USB phone charger
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	N/A
Seat	Standard
Handlebar	Standard
Protection	Premium front bumper, rear bumper, central skidplate

## WARRANTY

Factory Warranty	3-year unlimited km powertrain & ROTAX engine warranty and 1-year warranty & unlimited km on the rest of the unit.
------------------	--

© 2023 Bombardier Recreational Products Inc (BRP). All rights reserved. ®, TM and the BRP logo are registered trademarks of Bombardier Recreational Products Inc. or its affiliates. In the U.S.A., the products are distributed by BRP US Inc. \*Base model dry weight shown. † Visco-Lok is a trademark of GKN Viscodrives GmbH. All other trademarks are the property of their respective owners. For other jurisdictions, see your local dealer. Because of our ongoing commitment to product quality and innovation, BRP reserves the right at any time to discontinue or change specifications, price, design, features, models or equipment without incurring any obligation. Ride responsibly. BRP highly recommends that all ATV drivers take a training course. ATVs can be hazardous to operate. For your safety, the operator and passenger should wear a helmet, eye protection and other protective clothing. Always remember that riding, alcohol and drugs don't mix. Never ride on paved surfaces or public roads. Never engage in stunt driving. Avoid excessive speeds and be particularly careful on difficult terrain. ATVs with engine sizes of greater than 90 cc are recommended for use only by those aged 16 and older. Never carry passengers on any ATV not specifically designated for such use.





## Feature highlights



### Full Speed Ahead? Almost, But No!

The Can-Am Outlander PRO XU comes with a built-in speed limiter. Where's the fun in that? Well when it comes time to getting work done, you'll see why it comes in handy.



### Differential That Makes a Difference

The Can-Am Outlander PRO XU has a Visco-4Lok<sup>1</sup> front differential that delivers grip and traction for days wherever you're riding. Engage 4-wheel-drive lock mode to deliver equal power to your 4 wheels, and keep rolling on.



### Rugged XPS Tyres and Steel Wheels

The Can-Am Outlander PRO XU sits on 26 in. XPS Trail King, 6-ply rating tyres with 12 in. cast-aluminum wheels built to perform in any condition and in the roughest terrains. If you plan to haul, tow, or carry heavy loads with your vehicle, you're in good hands driving on these tyres. Because the weather shouldn't stop you from getting work done.



### Fits Just Like a Glovebox

The Can-Am Outlander PRO XU is equipped with a weather-resistant Premium Glovebox with cellphone holder and USB charger. Rigid and durable, this feature protects your wallet, keys, or whatever else you need from the wild elements. Plus, the magnet on the holder keeps your smartphone in place as it charges up.



### Lending a Hand for Steering

The Can-Am Outlander PRO XU comes with high torque Dynamic Power Steering (DPS). The technology counteracts unstable or difficult steering caused by external forces like strong crosswinds or uneven roads. With DPS, you get proper steering assistance from the steering gear to never veer off path.



### New and Intelligent Braking

The Intelligent Engine Braking (IEB) of the Can-Am Outlander PRO XU puts the rider in control of the engine braking. When you're carrying heavy loads or riding downhill with full cargo, more engine braking is needed.



# 2023 OUTLANDER MAX XT 700



Platinum Satin / 700

## PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- Visco-Lok<sup>†</sup> QE auto-locking front differential
- 26 in. XPS Trail Force with 14 in. aluminum wheels
- 3,500 lb (1,588 kg) winch
- Front and rear bumper, full skid plate
- Premium glovebox with cellphone holder and USB charger

ENGINE	700
Type	50 hp / 41 lb-ft, Rotax <sup>®</sup> ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT L / H / N / R / P
Drive Train	Selectable 2WD / 4WD with Visco-Lok QE auto-locking front differential
Driving Assistance	N/A
Power Steering	Tri-Mode Dynamic Power Steering (DPS)

## DIMENSIONS & CAPACITIES

Estimated Dry Weight*	893 lb (405.1 kg)
L x W x H	94.2 x 47.6 x 48 in. (239.3 x 120.9 x 121.9 cm)
Wheelbase	60.4 in. (153.4 cm)
Ground Clearance	12.5 in. (31.8 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,650 lb (748.4 kg)
Fuel Capacity	5.1 gal (19.3 L)

## SUSPENSIONS

Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube

## TYRES & WHEELS

Front Tyres	XPS Trail Force Tyres 26 x 8/10 x 14 in.
Rear Tyres	XPS Trail Force Tyres 26 x 8/10 x 14 in.
Wheels	14 in. cast aluminum

## BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

## FEATURES

Gauge	4.5 in. digital display
Instrumentation	USB phone charger
Ignition	Mechanical key
Lighting	LED headlights
Winch	3,500 lb (1,588 kg) winch
Seat	Standard
Handlebar	Standard
Protection	Front and rear bumper, central skidplate

## WARRANTY & SERVICE INTERVALS

Factory Warranty	2 years / 15,000 km, whichever comes first
Service Intervals	100 hours / 12 months / 3,000 km

© 2023 Bombardier Recreational Products Inc (BRP). All rights reserved. ®, TM and the BRP logo are registered trademarks of Bombardier Recreational Products Inc. or its affiliates. In the U.S.A., the products are distributed by BRP US Inc. \*Base model dry weight shown. † Visco-Lok is a trademark of GKN Viscodrives GmbH. All other trademarks are the property of their respective owners. For other jurisdictions, see your local dealer. Because of our ongoing commitment to product quality and innovation, BRP reserves the right at any time to discontinue or change specifications, price, design, features, models or equipment without incurring any obligation. Ride responsibly. BRP highly recommends that all ATV drivers take a training course. ATVs can be hazardous to operate. For your safety, the operator and passenger should wear a helmet, eye protection and other protective clothing. Always remember that riding, alcohol and drugs don't mix. Never ride on paved surfaces or public roads. Never engage in stunt driving. Avoid excessive speeds and be particularly careful on difficult terrain. ATVs with engine sizes of greater than 90 cc are recommended for use only by those aged 16 and older. Never carry passengers on any ATV not specifically designated for such use.



## Feature highlights



### Differential That Makes a Difference

The Can-Am Outlander MAX XT 700 has a Visco-Lok® QE (Quick Engagement) auto-locking front differential that delivers grip for days. The advantage of this feature is that engaging the front differential is quicker: with no rev or speed limiter, optimal wheel traction follows you on every ride.



### Rugged XPS Tyres and Steel Wheels

The Can-Am Outlander MAX XT 700 sits on 26 in. XPS Trail Force tyres with 14 in. aluminum wheels built to perform in any condition. The main advantage of these tyres is their versatility: from getting work done to mudding, or even trail riding, they deliver on many types of terrain. Because the conditions shouldn't get in the way of a ride. They should encourage one.



### Versatility in a Pinch

With a Can-Am HD 3500 Winch on, your ATV is full of versatility. Engage it with the flick of a switch to get the most difficult tasks done and keep things rolling on your Can-Am Outlander MAX XT 700. Whether you need to clear the way, rescue a friend or pull out of a tough spot, this winch helps you make it happen: it's effective for vehicle recovery, hunting trips, clearing brush, and at the job site.



### Protection Where It Counts

This model is equipped with front and rear bumpers as well as a full skid plate. Think of these as the protective armor of your Can-Am Outlander MAX XT 700 that covers all angles: no matter the terrain, this ATV is protected from the worst of it.



### Fits Just Like a Glovebox



The Can-Am Outlander MAX XT 700 is equipped with a weather-resistant Premium Glovebox with cellphone holder and USB charger. Rigid and durable, this feature protects your wallet, keys, or whatever else you need from the wild elements. Plus, the magnet on the holder keeps your smartphone in place as it charges up.



### Lending a Hand for Steering


The Can-Am Outlander MAX XT 700 comes with high torque Dynamic Power Steering (DPS). The technology counteracts unstable or difficult steering caused by external forces like strong crosswinds or uneven roads. With DPS, you get proper steering assistance from the steering gear to never veer off path.



		OUTLANDER MAX XT 700	OUTLANDER PRO HD5
			
COLOUR OPTIONS		Platinum Satin	Desert Tan
ENGINE	Type	700	HD5
		50 hp / 41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled	40 hp / 37 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
	Fuel Delivery System	Electronic Fuel Injection (EFI)	Electronic Fuel Injection (EFI)
	Transmission	pDrive primary CVT L / H / N / R / P	pDrive primary CVT with work calibration Extra low L / H / N / R / P
	Drive Train	Selectable 2WD / 4WD with Visco-Lok <sup>†</sup> QE auto-locking front differential	Selectable 2WD / 4WD with Visco-Lok <sup>†</sup> auto-locking front differential
	Driving Assistance	N/A	N/A
	Power Steering	Tri-Mode Dynamic Power Steering (DPS)	N/A
SUSPENSIONS	Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel	Double A-arm 9.75 in. (24.8 cm) travel
	Front Shocks	Twin tube	Twin tube
	Rear Suspension	Double A-arm 10.25 in. (26 cm) travel	Double A-arm 10.25 in. (26 cm) travel
	Rear Shocks	Twin tube	Twin tube
TYRES / WHEELS	Tyres	XPS Trail Force Tyres 26 x 8/10 x 14 in.	Carlisle ACT 6-ply 26 x 8/10 x 12 in.
	Wheels	14 in. cast aluminum	12 in. steel
BRAKES	Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers
	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper
DIMENSIONS/CAPACITIES	Estimated Dry Weight*	893 lb (405.1 kg)	800 lb (362.9 kg)
	L x W x H	94.2 x 47.6 x 48 in. (239.3 x 120.9 x 121.9 cm)	89.9 x 48.8 x 48.2 in. (228.4 x 124 x 122.4 cm)
	Wheelbase	60.4 in. (153.4 cm)	53 in. (134.6 cm)
	Ground Clearance	12.5 in. (31.8 cm)	13 in. (33 cm)
	Seat Height	38.6 in. (98 cm)	38.6 in. (98 cm)
	Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
	Storage Capacity	9 gal (34 L)	9 gal (34 L)
	Towing Capacity	1,650 lb (748.4 kg)	1,650 lb (748.4 kg)
	Fuel Capacity	5.1 gal (19.3L)	5.1 gal (19.3 L)
FEATURES	Gauge	4.5 in. digital display	4.5 in. digital display
	Instrumentation	USB phone charger	N/A
	Ignition	Mechanical key	Mechanical key
	Lighting	LED headlights	LED headlights
	Winch	3,500 lb (1,588 kg) winch	N/A
	Seat	Standard	Standard
	Handlebar	Standard	Standard
	Protection	Front and rear bumper, full skid plate	Premium front bumper, rear bumper, full skid plate
	Warranty	2 years / 15,000 km, whichever comes first Service Intervals: 100 hours / 12 months / 3,000 km	3-year unlimited km powertrain & ROTAX engine warranty and 1-year warranty & unlimited km on the rest of the unit

<sup>†</sup>Visco-Lok is a trademark of GKN Viscodrives GmbH.


\*Base model dry weight shown.

		OUTLANDER PRO XU HD5/HD7	
			
COLOUR OPTIONS		Tundra Green	
ENGINE	Type	HD5	HD7
		40 hp / 37 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled	50 hp / 41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary CVT with work calibration Extra low L / H / N / R / P	pDrive primary CVT with work calibration Extra low L / H / N / R / P
	Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok <sup>†</sup> front differential	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok <sup>†</sup> front differential
	Driving Assistance	Intelligent Engine Braking (iEB™) Speed limiter	Work / Standard / Sport modes Intelligent Engine Braking (iEB™) Speed limiter
	Power Steering	Tri-Mode Dynamic Power Steering (DPS)	Tri-Mode Dynamic Power Steering (DPS)
SUSPENSIONS	Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel	Double A-arm 9.75 in. (24.8 cm) travel
	Front Shocks	Twin tube	Twin tube
	Rear Suspension	Double A-arm 10.25 in. (26 cm) travel	Double A-arm 10.25 in. (26 cm) travel
	Rear Shocks	Twin tube	Twin tube
TYRES/ WHEELS	Tyres Wheels	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in. 12 in. cast aluminum	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in. 12 in. cast aluminum
BRAKES	Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers
	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper
DIMENSIONS/CAPACITIES	Estimated Dry Weight*	816 lb (370.1 kg)	816 lb (370.1 kg)
	L x W x H	89.9 x 48.8 x 48.2 in. (228.4 x 124 x 122.4 cm)	89.9 x 48.8 x 48.2 in. (228.4 x 124 x 122.4 cm)
	Wheelbase	53 in. (134.6 cm)	53 in. (134.6 cm)
	Ground Clearance	13 in. (33 cm)	13 in. (33 cm)
	Seat Height	38.6 in. (98 cm)	38.6 in. (98 cm)
	Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
	Storage Capacity	9 gal (34 L)	9 gal (34 L)
	Towing Capacity	1,650 lb (748.4 kg)	1,650 lb (748.4 kg)
	Fuel Capacity	5.1 gal (19.3 L)	5.1 gal (19.3 L)
FEATURES	Gauge	4.5 in. digital display	4.5 in. digital display
	Instrumentation	USB phone charger	USB phone charger
	Ignition	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™)
	Lighting	LED headlights	LED headlights
	Winch	N/A	N/A
	Seat	Standard	Standard
	Handlebar	Standard	Standard
	Protection	Premium front bumper, rear bumper, central skidplate	Premium front bumper, rear bumper, central skidplate
	Warranty	3-year unlimited km powertrain & ROTAX engine warranty and 1-year warranty & unlimited km on the rest of the unit	3-year unlimited km powertrain & ROTAX engine warranty and 1-year warranty & unlimited km on the rest of the unit

<sup>†</sup>Visco-Lok is a trademark of GKN Viscodrive GmbH.

\*Base model dry weight shown.





# ATV ACCESSORIES

**We've made things super simple.**

- Check your model year
- Choose engine and model
- Learn your **PLATFORM CODE**

This **PLATFORM CODE** will let you know at a glance if the accessory is compatible with your vehicle.

## ATV ACCESSORY COMPATIBILITY GUIDE

Model year	Model	Engine configuration	Platform code
2019	Outlander	450, 570	G2L
2020	Outlander	650, 850, 1000R	G2
2021	Outlander MAX	450, 570	G2L
2022	Outlander MAX	650, 850, 1000R	G2
2023	6x6	450	G2L
	6x6	650, 1000	G2
	Renegade	570, 650, 850, 1000R	G2S
	Outlander	500, 700	G3L
	Outlander PRO	HD5, HD7	G3L



G2L 6x6



G2 6x6



G2L



G2



G2S



G3L















# LINQ ACCESSORIES: EASY ON, EASY OFF CARGO



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

## G3L





### LinQ Accessories with 16" Base

 <b>LinQ 4.2 Gal (16 L) Cooler</b> 219400964 • Black / 295100698 • White	YES, with LinQ Base Installation Kit <b>860201806</b> Can be installed inside* or on the front cargo compartment.	NO	YES, with LinQ Base Installation Kit <b>860201806</b>	NO	NO			
 <b>LinQ Tool Box</b> 715008111								
 <b>LinQ SR 5.5 Gal (21 L) Bag</b> 860202449	YES, with LinQ Base Installation Kit <b>860201806</b> Must be installed on the front cargo compartment lid only.							
 <b>LinQ 4.5 Gal (17 L) Sport Bag</b> 860202447	YES, with LinQ Base Installation Kit <b>860201806</b> Can be installed inside* or on the front cargo compartment.							
 <b>LinQ Modular Box (10L)</b> 715005494								
 <b>LinQ Modular Box (20L)</b> 715007112								
 <b>LinQ Modular Box (30L)</b> 715006830								
 <b>LinQ Tool Kit</b> 715006829	YES, with LinQ Base Installation Kit <b>860201806</b> Must be installed on the front cargo compartment lid only.				NO	NO	YES	
 <b>LinQ Roll-Top Bag</b> 715008110								
 <b>LinQ Fuel Caddy - 4 Gallons</b> 860202246	YES, with LinQ Base Installation Kit <b>860201806</b> Must be installed inside* the front cargo compartment only.						NO	NO
 <b>LinQ Oil Caddy - 1 Gallon</b> 860202445								
 <b>LinQ Gun Case</b> 715004968	YES, with LinQ Base Installation Kit <b>860201806</b> Must be installed on the front cargo compartment lid.							

### LinQ Accessories with 36" Base

	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ can stack on top
<b>LinQ Large Cargo Box</b> 715007001	NO	NO	NO	YES	NO
<b>LinQ Cargo Basket (90L)</b> 715005274		YES			YES
<b>LinQ Cargo Box (53L)</b> 715006997		NO			NO
<b>LinQ Trunk Box (139L)</b> 715006097		YES			YES
<b>LinQ Trunk Box (145L)</b> 715005273		NO			NO
<b>LinQ Gun Case</b> 715004968		YES		NO	NO

### LinQ Holders and Racks

	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	Can Stack on Top	
 <b>LinQ Gear Grips</b> 715005340	YES, with LinQ Base Installation Kit <b>860201806</b>	YES	YES, with LinQ Base Installation Kit <b>860201806</b>	YES	NO	
 <b>LinQ Tool Holder</b> 715007358						
 <b>LinQ Rack Extension</b> 715004954	NO	NO	NO			
 <b>LinQ Chainsaw Holder</b> 715004975	YES					NO


















\*Removal of front cargo compartment lid is required.

# LINQ ACCESSORIES: EASY ON, EASY OFF CARGO



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

## G3L MAX

LinQ Accessories with 16" Base		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	can stack on top	
	<b>LinQ 4.2 Gal (16 L) Cooler</b> 219400964 • Black / 295100698 • White	YES, with LinQ Base Installation Kit <b>860201806</b> Can be installed inside* or on the front cargo compartment.	NO	NO		NO	
	<b>LinQ Tool Box</b> 715008111						
	<b>LinQ SR 5.5 Gal (21 L) Bag</b> 860202449	YES, with LinQ Base Installation Kit <b>860201806</b> Must be installed on the front cargo compartment lid only.					
	<b>LinQ 4.5 Gal (17 L) Sport Bag</b> 860202447	YES, with LinQ Base Installation Kit <b>860201806</b> Can be installed inside* or on the front cargo compartment.		YES, with LinQ Base Installation Kit <b>860201806</b>		YES	
	<b>LinQ Modular Box (10L)</b> 715005494						
	<b>LinQ Modular Box (20L)</b> 715007112						
	<b>LinQ Modular Box (30L)</b> 715006830			NO			
	<b>LinQ Tool Kit</b> 715006829						
	<b>LinQ Roll-Top Bag</b> 715008110	YES, with LinQ Base Installation Kit <b>860201806</b> Must be installed on the front cargo compartment lid only.		NO		NO	
	<b>LinQ Fuel Caddy - 4 Gallons</b> 860202246	YES, with LinQ Base Installation Kit <b>860201806</b> Must be installed inside* the front cargo compartment only.					
	<b>LinQ Oil Caddy - 1 Gallon</b> 860202445						
	<b>LinQ Gun Case</b> 715004968						YES, with LinQ Base Installation Kit <b>860201806</b> Must be installed on the front cargo compartment lid.
LinQ Accessories with 36" Base		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ can stack on top	
	<b>LinQ Large Cargo Box</b> 715007001	NO	NO	NO	YES	NO	
	<b>LinQ Cargo Basket (90L)</b> 715005274		YES				YES
	<b>LinQ Cargo Box (53L)</b> 715006997		NO			NO	NO
	<b>LinQ Trunk Box (139L)</b> 715006097					YES	
	<b>LinQ Trunk Box (145L)</b> 715005273		YES		NO	NO	
	<b>LinQ Gun Case</b> 715004968						
LinQ Holders and Racks		Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ can stack on top	
	<b>LinQ Gear Grips</b> 715005340	YES, with LinQ Base Installation Kit <b>860201806</b>	YES	YES, with LinQ Base Installation Kit <b>860201806</b>	YES	NO	
	<b>LinQ Tool Holder</b> 715007358						
	<b>LinQ Rack Extension</b> 715004954	NO	NO	NO	NO		
	<b>LinQ Chainsaw Holder</b> 715004975	YES					

\*Removal of front cargo compartment lid is required.



## LinQ Accessories with 16" base

### NEW LinQ Fuel Caddy - 4 Gallons (15 L)

G3L

860202246



- Quick, easy and secure installation with LinQ system.
- No-Spill spout for easy use.
- 3.7 US gallons (14 liter) capacity.
- Meet the new latest Flame Mitigation Device (FMD) standard.
- Must be installed in the Front Cargo Compartment.
- LinQ Base Installation Kit 860201806 required.

### NEW LinQ Oil Caddy - 1 Gallon (3.5 L)

G3L

860202445



- 3.78-liter (1 US gallon) capacity.
- Must be installed in the Front Cargo Compartment.
- LinQ Base Installation Kit 860201806 required.

### NEW LinQ Chainsaw Holder

G3L (except X mr models)

715004975



- This system installs a chainsaw vertically to save space on the rack and serves as a scabbard for storage.
- Pinch the blade for a solid and quick fix.
- Compatible with the majority of chainsaws available on the market as most blades go up to 18".
- Compatible with all 16" LinQ accessories that fit in the front cargo compartment.
- Allows installation of the LinQ Tool Holder.
- Not compatible with the LinQ Rack Extension when installed on the front rack of the vehicle.

### LinQ Modular Box

G2, G2L, G2S, G3L

715005494 · (10 L)

715007112 · (20 L)

715006830 · (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.
- See table for installation location and requirements.

### Thermal Insert For LinQ Modular Box (10 L)

G2, G2L, G2S, G3L

219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain five 473 ml cans or six 355 ml cans.

### LinQ Tool Kit

G2, G2L, G2S, G3L

715006829



- Includes:
  - Cutter pliers
  - Long-nose pliers
  - Locking pliers
  - Ratchet wrench  $\frac{3}{8}$ " drive
  - 6" ratchet extension
  - Integrated CVT belt storage location (belt not included)
  - Long-socket 19 mm  $\frac{3}{8}$ " drive - 6pts
  - Socket 18 mm  $\frac{3}{8}$ " drive
  - Long-socket 17 mm  $\frac{3}{8}$ " drive - 6pts
  - Socket 15 mm  $\frac{3}{8}$ " drive
  - Socket 13 mm  $\frac{3}{8}$ " drive
  - Socket 10 mm  $\frac{3}{8}$ " drive
  - Socket 8 mm  $\frac{3}{8}$ " drive
  - Combined wrench 19 mm
  - Combined wrench 18 mm
  - Combined wrench 15 mm
  - Combined wrench 13 mm
  - Combined wrench 10 mm
  - Combined wrench 8 mm
  - Socket Torx T40  $\frac{3}{8}$ " drive
  - Socket Torx T30  $\frac{3}{8}$ " drive
  - Socket Torx T20  $\frac{3}{8}$ " drive
  - Breaker bar  $\frac{3}{8}$ " drive
- See table for installation location and requirements.

### LinQ 4.2 Gal (16 L) Cooler

G2, G2L, G2S, G3L

■ 219400964 · Black

■ 295100698 · Gray



- All the benefits of LinQ—simple, fast and secure.
- Rotomolded construction for exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Uses LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.
- See table for installation location and requirements.

<b>LinQ Tool Box</b>	G2, G2L, G2S, G3L	<b>715008111</b>
	<ul style="list-style-type: none"><li>• High precision injected HDPE construction provides rigidity and durability.</li><li>• 5 gal (19 L) maximum capacity.</li><li>• Weather-resistant, sealed and lockable cover.</li><li>• Marinized for salt water purposes.</li><li>• See table for installation location and requirements.</li></ul>	
<b>LinQ Roll-Top Bag</b>	G2, G2L, G2S, G3L	<b>715008110</b>
	<ul style="list-style-type: none"><li>• Fully waterproof Roll-Top dry bag will securely store and confine your equipment.</li><li>• LinQ mounted using heavy-duty rigid plastic base.</li><li>• High capacity storage solution 10.6 gal (40 L).</li><li>• Bottom foam liner for additional equipment protection.</li><li>• Integrated handle for easy transportation on/off the vehicle.</li><li>• Marinized for salt water purposes.</li><li>• See table for installation location and requirements.</li></ul>	
<b>SR 5.5 Gal (21 L) LinQ Bag</b>	G2, G2L, G2S, G3L	<b>860202449</b>
	<ul style="list-style-type: none"><li>• Semi-rigid expandable bag.</li><li>• 5.5 gal (21 L) capacity.</li><li>• See table for installation location and requirements.</li></ul>	
<b>LinQ 4.5 Gal (17 L) Sport Bag</b>	G2, G2L, G2S, G3L	<b>860202447</b>
	<ul style="list-style-type: none"><li>• 4.5 gal (17 L) capacity.</li><li>• Rigid bottom, semi-rigid top.</li><li>• See table for installation location and requirements.</li></ul>	
<b>LinQ Accessories with 36" base</b>		
<b>NEW LinQ Trunk Box (145L)</b>	G3L (except MAX models)	<b>715005273</b>
	<ul style="list-style-type: none"><li>• Polyethylene Trunk Box replacing the rear rack for perfect integration and to increase cargo capacity.</li><li>• Storage capacity of 31 Gal (145L).</li><li>• Easy to install and remove with the LinQ system.</li><li>• Possibility to install LinQ 16" accessories on the cover to increase the cargo capacity.</li><li>• New ergonomic and resistant latch system offers excellent sealing.</li><li>• Ability to install LinQ Tool Holders (715008896) on the box.</li><li>• Lockable with a lock on the front of the box (two keys included).</li></ul>	
<b>NEW LinQ Trunk Box (139L)</b>	G3L (MAX models only)	<b>715006097</b>
	<ul style="list-style-type: none"><li>• Polyethylene Trunk Box replacing the rear rack for perfect integration and to increase cargo capacity.</li><li>• Storage capacity of 30 gal (139 L).</li><li>• Easy to install and remove with the LinQ system.</li><li>• Compatible with the passenger seat.</li><li>• New ergonomic and resistant latch system offers excellent sealing.</li><li>• Ability to install LinQ Tool Holders (715008896) on the box.</li><li>• Lockable with a lock on the front of the box (two keys included).</li></ul>	
<b>NEW LinQ Cargo Box (53L)</b>	G3L	<b>715006997</b>
	<ul style="list-style-type: none"><li>• Made of polyethylene.</li><li>• Storage capacity of 14 gal (53 L).</li><li>• Easy to install and remove with the LinQ system.</li><li>• Can be installed on the front or rear racks.</li><li>• New ergonomic and resistant latch system offers excellent sealing.</li><li>• Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity.</li><li>• Ability to install LinQ Tool Holders (715008896) on the box.</li><li>• Lockable with a lock on the front of the box (two keys included).</li></ul>	



<b>NEW LinQ Cargo Basket (90L)</b>	G3L	<b>715005274</b>
------------------------------------	-----	------------------



- Made of polyethylene.
- Storage capacity of 23 gal (90 L).
- Easy to install and remove with the LinQ system.
- Can be installed on the front or rear racks.
- Six handles on the contour to easily install bungee cords.
- Ability to install LinQ Tool Holders (715008896) to the basket.

<b>Large Cargo Box</b>	G2 , G2L (except 6x6), G3L	<b>715007001</b>
------------------------	----------------------------	------------------



- Rear bed to carry large items.
- Anchor points (D-ring), LinQ fixtures for tool holder, and marks to allow the installation of a 16" accessory.
- Also has a mat for the floor and slot to enable the installation of a divider and a slot for a divider to close the recess on the rear vertical lip.
- It is installed on ATV platforms through the LinQ system and hooks to make it easily installable and removable.

<b>NEW LinQ Rack Extension</b>	G3L	<b>715004954</b>
--------------------------------	-----	------------------



- Easy to install and remove with the LinQ system.
- Fits front or rear of the vehicle.
- Provides tie-down points to secure cargo on racks.
- Made of steel with anti-corrosion coating and durable powder-coat finish.
- Height of 7".

## LinQ Holders

<b>LinQ Tool Holder</b>	G2, G2L, G2S, G3L	<b>715007358</b>
-------------------------	-------------------	------------------



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.

<b>LinQ Gear Grips</b>	G2, G2L, G2S, G3L	<b>715005340</b>
------------------------	-------------------	------------------



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the Gear Grips with the LinQ System.
- 360° orientation.
- Sold in pairs.

<b>LinQ Gear Grips</b>	G2L, G3L	<b>715001421</b>
------------------------	----------	------------------



- Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Easy installation on tubular racks, extension racks, brackets or bumpers.
- Sold in pairs.

<b>LinQ Gun Case</b>	G3L	<b>715004968</b>
----------------------	-----	------------------



- Practical design allows you to store shotguns and rifles up to 52" (132 cm) even with most optic configurations.
- Adapt to different weapon shapes and features with foam cushions that can be repositioned.
- LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn.
- Must be installed on the Front Rack or on the Front Cargo Compartment Lid.

## Holders

### NEW Tool Holder Bolt-On

G3L

715008896



- Tool Holder is made to fit the LinQ Cargo Basket (90L), LinQ Cargo Box (53L), LinQ Trunk Box (139L) and LinQ Trunk Box (145L).
- Convenient swivel-latch allows tools of all shapes to be stored in the proper orientation.

- Sold in pairs.
- Several degrees of adjustment.

### Multi-Fit Holder

G2, G2L, G3L

715002354 · Single

715001945 · Double



- Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but easily accessible.
- Easy installation on tubular rack, extension racks, basket or bumpers.

- For G2, the LinQ Rack Extension (715001711 or 715001665) is required.
- Sold in pairs.

## LinQ Mounting

### LinQ Base Installation Kit

G3L

860201806



- Unique mounting fastener usable on any LinQ System accessory.
- Included: 2 Cargo LinQ bases and hardware.

### LinQ Base

G2L, G3L

715002350



- Made of polypropylene glass fiber.
- Allows you to install LinQ accessories.
- Sold in pack of 4.

### LinQ Lock

G2, G2L, G2S, G3L

860201968



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.
- Not compatible with LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and LinQ Gear Grips.

# CARGO & STORAGE

### NEW Soft Storage Bag (70L)

G3L





715007002



- Carry your gear in a weatherproof bag.
- Soft bag with a storage capacity of 18.5 Gal (70L) designed to maximize space in the front or rear of the vehicle.
- 3-compartment bag with removable dividers.
- Easy to install with strap system.
- X mr models: Fits on rear rack only.



# CAN-AM WINDSHIELDS

<b>NEW Adventure High Windshield - Hardcoated</b>	G3L (except X mr models)	<b>715007268</b>
	<ul style="list-style-type: none"> <li>• Adventure windshield with three-position adjustable height.</li> <li>• 14 in (36 cm) high to protect against wind and winter weather.</li> <li>• Made of injected polycarbonate with a thickness of <math>\frac{3}{32}</math> in (4 mm) with ultra-resistant Quantum<sup>1</sup> coating.</li> <li>• Provides excellent optical clarity and better abrasion resistance.</li> <li>• Console Extension (715005368) is required for installation.</li> <li>• Side Wind Deflectors (715005862) available for added protection.</li> </ul>	
<b>NEW Adventure High Windshield</b>	G3L (except X mr models)	<b>715005377</b>
	<ul style="list-style-type: none"> <li>• Adventure windshield with three-position adjustable height.</li> <li>• 14 in (36 cm) high to protect against wind and weather.</li> <li>• Made of injected polycarbonate with a thickness of <math>\frac{3}{32}</math> in (4 mm).</li> <li>• Console Extension (715005368) is required for installation.</li> <li>• Side Wind Deflectors (715005862) available for added protection.</li> </ul>	
<b>NEW Adventure Low Windshield</b>	G3L (except X mr models)	<b>715005860</b>
	<ul style="list-style-type: none"> <li>• Adventure windshield with three-position adjustable height.</li> <li>• 10 in (25 cm) high for wind protection.</li> <li>• Made of injected polycarbonate with a thickness of <math>\frac{3}{32}</math> in (4 mm).</li> <li>• Console Extension (715005368) is required for installation.</li> <li>• Side Wind Deflectors (715005862) available for added protection.</li> </ul>	
<b>NEW Adventure Side Wind Deflectors</b>	G3L (except X mr models)	<b>715005862</b>
	<ul style="list-style-type: none"> <li>• Side Wind Deflectors for additional wind protection.</li> <li>• Easy installation.</li> <li>• Console Extension (715005368) is required for installation.</li> <li>• Works with Adventure Windshields (715005860, 715005377, 715007268).</li> </ul>	

# HANDLEBARS & MIRRORS

## NEW Driver Full Wrap Handguards

G3L

■ 715005361 · Black  
■ 715005362 · Neo Yellow



- Protects against wind, branches and debris.
- Rugged injected plastic deflectors with Can-Am logo.
- Lightweight black die cast aluminum full wrap frame.
- New ergonomic design offers better comfort for the hand and increases protection.
- Mounting system leaves the handlebar free.
- Includes complete hardware.

## Passenger Wind Deflectors

G2, G2L, G3L (MAX models only)

715001669



- These wind deflectors fit on the passenger handles and provide greater comfort while riding.
- Easy to install and remove.

## Handlebar Mirrors


G2, G2L, G2S, G3L

715005366



- Adjustable handlebar mounted convex mirrors.
- The convex surface allows improved visibility with a wider field of view.
- Doesn't require a windshield or fairing to be mounted.
- Works with all windshield options.

# SKID PLATES



## OUTLANDER

G3L

2023

Except MAX models

MAX models only

### Skid Plate Protection Kit

715005309

715005310

### Individual Skid Plates

#### ① Front Aluminum A-Arm Protectors

715005305

715005305

#### ② Rear Aluminum A-Arm Protectors

715005308

715005308

#### ③ HMWPE Underbelly Plates

715005306

715005307

Our Skid Plates deliver the durability, strength, and reliability your adventures need. Protect the underbelly of your vehicle from front to rear, with folded ends at the footwells for a little extra. They combine materials for peak protection: with aluminum A-arms and a plastic underbelly, your ride can drive across rough terrain confidently.

- Quick and easy, bolt-on installation.  
No need to remove factory skid plates.  
No more rivets or rivnuts.
- Thicker underbelly plates (10 mm).



# BUMPERS & GUARDS

## Bumpers

<b>NEW XU Front Bumper</b>	G3L	<b>715006614</b>
----------------------------	-----	------------------



- Heavy-duty tubular construction provides the most complete protection for your vehicle.
- Protects vehicle lights and corners.
- Winch compatible.
- Integrated tow hook.
- Similar to the XU models' bumper.

<b>NEW XT Front Bumper</b>	G3L	<b>715004952</b>
----------------------------	-----	------------------



- Provides additional protection for your vehicle against the elements.
- Tough and durable.
- Large tube construction with black powder coat finish.
- Similar to stock bumper on XT models.
- Mounting plate included for tow hook.

<b>NEW Extreme Front Bumper Plate</b>	G3L (except X mr models)	<b>715005439</b>
---------------------------------------	--------------------------	------------------



- Ultra-robust construction provides additional protection to the front of the vehicle in rough terrain.
- Compatible with all front bumpers.

<b>NEW Front Tow Hook</b>	G3L	<b>715008842</b>
---------------------------	-----	------------------



- Provides a solid anchor when towing is needed or when transporting the vehicle.
- Allows you to attach most hooks or straps.
- Made of forged steel.
- XT Front Bumper (715004952) required for installation.

<b>NEW Full Rear Bumper</b>	G3L	<b>715008738</b>
-----------------------------	-----	------------------



- Provides additional protection for your vehicle against obstacles.
- Protects the rear lights of the vehicle without obstructing them.
- Strong and durable, it must be added to the XT rear bumper (stock or accessory) for full protection.
- Wide and sturdy tubular construction with black powder-coat finish and metal corners.

<b>NEW XT Rear Bumper</b>	G3L (STD, DPS & X mr models only)	<b>715004953</b>
---------------------------	-----------------------------------	------------------



- Sturdy tubular construction.
- Protects the vehicle against obstacles.
- Standard on Outlander XT and Outlander PRO.
- Fits base models with grab bar only.
- Required to install the Full Rear Bumper.

## Guards

<b>NEW Fender Flares</b>	G3L (except X mr models)	<b>715005349</b>
--------------------------	--------------------------	------------------



- Kit is designed to deliver extra protection to your vehicle from dirt and debris. If you enjoy riding in the mud, it's a must.
- Made of injected plastic that hugs your vehicle fenders perfectly.
- Gives vehicle added flair for a rugged, cool look.
- Includes front and rear extensions and all mounting hardware.
- Not compatible with European vehicles.

# ELECTRICAL & LIGHTS

## **NEW** Integrated Heated Grips & Thumb Throttle Combo

G3L

**715005072**



- Heat levels for grips and thumb displayed on vehicle screen.
- Ergonomic button integrated on LH grip.
- Single button for both grips and thumb heat selection.
- Five temperature settings for the thumb and grips.
- Adjustable heat ratio between grip and thumb warmer.
- Hold button to reach maximum heat quickly.
- Remembers your last heat setting.
- IP67-rated waterproof sealing keeps the elements out.
- ECE compliant.
- Plug-and-play installation.
- Clamp-on grips, no glue required.

## **Heated Passenger Grips & Visor Outlet**

G3L (MAX models only)

**715005358**



- Replace your stock passenger handles.
- Dual temperature switch integrated into seat arm for 3-zone heated handles and grips.
- Heated visor outlet integrated into seat arm.

## **Heated Visor Outlet**

G2, G2L, G3L

**715001246**



- Strategically positioned on vehicle to maintain your agility.
- Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- Sold individually.
- Heated Visor not included.

## **NEW** USB Intelligent Power Outlet Kit

G3L

**715009117**



- Power all your electronics with this easy-to-mount USB plug.
- Provides one USB-A3.0 and one USB C (PD) plug.
- Power rate: 36 watts.
- Intelligent USB charger for a fast charge when battery is low.
- Replaces the vehicle's 12 V socket.

## **NEW** Console Extension

G3L (except X mr models)

**715005368**



- Integrated storage compartment (1 gal/4 L) with magnetic mount safe for your electronic device.
- Robust injected fiber-reinforced-polypropylene construction makes it easy to fit and install.
- 25 times stronger than any smartphone's weight, so you can ride through rough terrain confidently.
- Two possible positions for your electronic device: portrait and landscape.
- Includes everything needed for installation on your favorite electronic devices: two pre-assembled Can-Am plates with 3M multi-surface adhesive.
- Includes guide clips molded into the door to pass the charging cable.
- Possibility of installing USB outlet in storage compartment (USB power outlet sold separately).
- Required for the installation of the Adventure windshield and side wind deflectors.
- Not compatible with Snorkel Kit.
- Includes tether cord for additional peace of mind.







## **NEW** Console Extension USB Power Outlet

G3L (except X mr models)

**715008750**



- Useful for the Console Extension (715005368) to plug your electronic device charger into the compartment.
- USB-A and USB-C ports.
- Rubber cap protects ports when not in use.
- Backlit to highlight the USB ports.
- Requires 715005368.

<b>GPS RAM<sup>†</sup> Mount for Handlebar</b>	G2, G2L, G2S, G3L	<b>715001985</b>
	<ul style="list-style-type: none"><li>• Convenient bracket for installing the Garmin Montana GPS (not included) onto your unit's handlebar.</li></ul>	
<b>Bluetooth Handlebar Soundbar by Mtx</b>	G2, G2L, G2S, G3L	<b>219400840</b>
	<ul style="list-style-type: none"><li>• Bluetooth speaker with the unbeatable convenience of fingertip control.</li><li>• Rugged IP66-rated weather-resistant speaker designed for outdoor use.</li><li>• Driven by 150 watts of quality audio power.</li><li>• Seamless integration and operation from Bluetooth enabled devices.</li></ul> <ul style="list-style-type: none"><li>• Includes input, ground and ignition wires, plus auxiliary port and 3.5" (8.89 cm) connector cable.</li><li>• Not compatible with XT Handlebar Protector Kit.</li><li>• EC compliant.</li></ul> <p><i>Note: We recommend you use 320 Kbps MP3 - 192-256 Kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.</i></p>	
<b>3.5" (9 cm) LED Lights (2 X 14W) LED Driving Lights</b>	G2, G2L (except X mr models), G3L	<b>715003666</b>
	<ul style="list-style-type: none"><li>• 14W LED lights producing 1,260 lumens each.</li><li>• Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing.</li><li>• Features 2 attachment points — if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.</li><li>• Sold in pairs.</li></ul> <ul style="list-style-type: none"><li>• EC compliant.</li><li>• Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.</li><li>• G2, G2L: Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation.</li><li>• G3L: XT and XU Front Bumpers (715004952 and 715006614) and Power Cable (715005353) required for installation.</li></ul>	
<b>3.5" (9 cm) LED Lights (2 X 14W) LED Flood Lights</b>	G2, G2L (except X mr models), G3L	<b>715003665</b>
	<ul style="list-style-type: none"><li>• 14W LED lights producing 1,260 lumens each.</li><li>• Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing.</li><li>• Features 2 attachment points — if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.</li><li>• Sold in pairs.</li></ul> <ul style="list-style-type: none"><li>• EC compliant.</li><li>• Flood lens for a wide light beam spread, ideal for working applications like plowing or for cornering, dusty or foggy riding conditions.</li><li>• G2, G2L: Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation.</li><li>• G3L: XT and XU Front Bumpers (715004952 and 715006614) and Power Cable (715005353) required for installation.</li></ul>	
<b>10" (25 cm) Double Stacked LED Light Bar (60 Watts)</b>	G2, G2L (except X mr models), G3L	<b>715002933</b>
	<ul style="list-style-type: none"><li>• Equipped with 12 5W Cree LEDs.</li><li>• 5,400 lumens.</li><li>• Rugged and waterproof.</li><li>• Packs a big punch for its size.</li></ul> <ul style="list-style-type: none"><li>• EC compliant.</li><li>• G2, G2L: Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation.</li><li>• G3L: XT and XU Front Bumpers (715004952 and 715006614) and Power Cable (715005353) required for installation.</li></ul>	
<b>15" (38 cm) Double Stacked LED Light Bar (90W)</b>	G3L	<b>715002934</b>
	<ul style="list-style-type: none"><li>• Equipped with 18 5W Cree LEDs. 8,400 lumens.</li><li>• Complements the Light Racks and most bumpers.</li><li>• Rugged and waterproof.</li><li>• Lights up to more than 1,900 ft (580 m) in front of the vehicle and around 65 ft (20 m) wide on each side.</li></ul> <ul style="list-style-type: none"><li>• EC compliant.</li><li>• G3L: XT and XU Front Bumpers (715004952 and 715006614) and Power Cable (715005353) required for installation.</li></ul>	



### Light Power Cable

(Not illustrated)

G3L

715005353

- Required for installation of the 10" (25 cm) and 15" (38 cm) LED Light Bars, as well as the 3.5" (9 cm) LED Lights.

### RAM<sup>+</sup> LED Spotlight

G2, G2L, G2S, G3L

710005423



- 540 lumen LED light (9W) heavy-duty spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system.

### Battery Charger/Maintainer

715005061



- Keeps stored lead-acid batteries charged.
- Charges and maintains small batteries.
- Microprocessor controlled multi-stage charging for added precision, safety and battery life.
- Automatically detects 6- or 12-volt batteries.
- Reverse hook-up protection helps protect battery and charger from damage.
- Auto-voltage detection.
- Press the display button to show the charge progress.
- Content: 3 amp battery charger, clamp adapter, DC adapter, 24" (61 cm) fused ring leads harness with weather cap, owner's manual.
- Not EC compliant.

### Jump Starter

715005062



- IPX3 water-resistant and enclosed output ports.
- 4 LED battery indicators for easy read on battery charge level.
- Compact design, will conveniently fit in your backpack, glove box or any other storage compartment.
- 2.4A + 1A/5V USB ports for fast charging of all USB devices.
- Smart cable provides protection against reverse polarity, short circuit, low voltage, high temperature and reverse charging.
- Built-in LED light (3 modes).
- Content: 300CA jump starter, SA858 smart cable clamp, MC-USB to USB charging cable, travel bag, user manual.
- Not EC compliant.

### Quick Connect Battery Cable

715005408



- Quickly and easily connect and charge different items with your charger.
- Included in the Battery Charger/Maintainer (715005061).
- Sold individually.

### Quick Connect Cable with Battery Indicator

715006055



- Quickly and easily connect and charge different batteries with your charger.
- 3-colour LED indicator provides constant battery health indication.
- Sold individually.

# WINCHES

## Can-Am HD Winches

### NEW Can-Am HD 2500 Winch

G3L

715006973



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- Corded 10 ft. (3m) weather sealed wired remote control (sold separately).
- Pulling strength capability of 2,500 lb (1,134 kg).
- 50 ft. of  $\frac{3}{16}$ " (15.2 m of 4.8 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.
- Weather-sealed handlebar-mounted switch.
- Sealed solenoid for all-weather protection.
- Plug-and-play wiring.
- EC & UKCA Compliant.

### NEW Can-Am HD 3500 Winch

G3L

715006974



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- Corded 10 ft. (3m) weather sealed wired remote control (sold separately).
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of  $\frac{7}{32}$ " (15.2 m of 5.2 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.
- Weather-sealed handlebar-mounted switch.
- Sealed solenoid for all-weather protection.
- Plug-and-play wiring.
- EC & UKCA Compliant.

### NEW Can-Am HD 3500-S Winch

G3L

715008285



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- Corded 10 ft. (3m) weather sealed, wired remote control (sold separately).
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of  $\frac{3}{16}$ " (15.2 m of 4.8 mm) synthetic rope.
- Heavy-duty hawse fairlead.
- Weather-sealed handlebar-mounted switch.
- Sealed solenoid for all-weather protection.
- Plug-and-play wiring.
- EC & UKCA Compliant.

## Winch Accessories

### NEW Can-Am HD Wired Remote Control

Can-Am HD Winches (715008140/715008141/715006973/715009674/715008285)

715008121



- This kit allows owners to add a handheld remote to their winch or a stock winch.
- Works with the handlebar-mounted switch.
- Wired Remote and Remote Socket included.

### Winch Accessories Kit

715002409



- Get the most out of your winch.
- Double your pulling power, change your pulling direction and keep your winch in proper working order.
- Includes tree straps, snatch block, shackle and winching gloves.

# HITCHES

## Hitches

### NEW Front Receiver Hitch

G3L

715004977



- Installs easily. No drilling required.
- This hitch offers a 1,500 lb (680 kg) towing capacity.
- Allows you to maneuver your trailer easily in tight, confined areas.
- Hitch bar sold separately.

### NEW Rear Hitch Drawbar Kit

G3L

715006230



- Works on 2" (5 cm) standard receiver hitch.
- Offers a towing capacity of 3.8 kN (R = 750 kg).
- 50 mm Hitch Ball included.
- Forged steel.
- For European vehicles only.

### Front and Rear Hitch Drawbar

G2, G2L, G2S, G3L

715008350



- Standard on 2" (5 cm) receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Hitch ball not included.
- Forged steel.

## Hitch Accessories

### Rubber Receiver Plug

705204503



- Rubber cap for 2" (5 cm) hitch receiver.

# PERFORMANCE

## Performance

### Mud Strap

G2, G2L, G2S, G3L

715003053



- Convenient sturdy grab-handle.
- Lets drivers redistribute their weight for improved traction in demanding conditions.
- Not compatible with XT Handlebar Protector Kit (703100352).

### NEW Radiator Protector

G3L (except X mr models)

715005333



- Metal shield mounts over radiator face and protects vehicle from stones and branches.
- Slides easily out of its holder for easy cleaning.



## Emergency Accessories

### Emergency Kit

715006102 US  
715006103 CAN



- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts may find themselves in.
- Includes jumper cables, air compressor, tyre-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags.

## COVERS & ADD-ONS

### NEW Trailering Covers

G3L (except MAX models)  
G3L (MAX models only)

715005074  
715005075



- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and coloured panels from abrasion.
- Quick and easy clip-on installation.
- Designed with the vehicle to fit its lines perfectly for less wind resistance and less water accumulation.
- Can be installed with or without Can-Am accessories.

### Flag

715000277 · Yellow



- Make sure everyone knows what you're riding.
- Perfect for dunes and new riders.
- 8-ft. (2.4 m) length.
- Includes flag mount (715000127).

### Flag Mount

(Not illustrated)

715000127

### Ratchet Tie-Downs

715008309  
• Black/Gray



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Can-Am, Sea-Doo, and Ski-Doo logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

### Heavy-Duty Ratchet Tie-Down

715008308



- 1,000 lb (454 kg) safe working load.
- 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

# APACHE TRACK SYSTEMS

## APACHE TRACK SYSTEMS FITTING GUIDE

### Apache Backcountry

Model Year / Model		Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter
2023	G3L	715005247	715004993	715007338 (without iTC) OR 715006266 (with iTC)	715008314	Not required

### Apache 360 and Apache 360 LT

Model Year / Model		Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter
2023	G3L	715006323 (Apache 360) OR 715005103 (Apache 360 LT)	715004992	715007338 (without iTC) OR 715006266 (with iTC)	715008314	Not required

### Apache Backcountry

Apache Backcountry Track System	G2 (except 6x6 models), G2L, G2S, G3L	715005247
---------------------------------	---------------------------------------	-----------



- Designed to deliver the best flotation level and deep-snow performance on the market.
- Contact patch is 23% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm), keeps the vehicle out of deep snow.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- Apache Backcountry Mounting Kit and engine and air intake pre-filters are required.
- For winter use only.

Idler Wheel Kit	Apache Backcountry Track System (rear tracks only)	860201230 · 141 mm
-----------------	--	--------------------



- Reduces drag and rolling resistance.
- Includes 2 wheels, brackets and hardware.
- Add up to 2 kits per rear track.
- Can extend slider life in hardened snow conditions.

Rail Ice Scratchers	Apache Backcountry Track System	860201728
---------------------	---------------------------------	-----------



- Provide additional lubrication in hard and icy conditions.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

## Apache 360 & 360 LT

### Apache 360 Track System

G2 (except 6x6 models), G2L, G2S, G3L

**715006323**



- Multifunctional tracks perfect for any Can-Am ATV.
- Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Apache 360 & 360 LT Mounting Kit and engine and air intake pre-filters are required.
- EC compliant.

### Apache 360 LT Track System

G2 (except 6x6 models), G2L, G2S, G3L

**715005103**



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- Average ground clearance increase of 4.5" (11.4 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Reliable heavy-duty build.
- EC compliant.
- Contact patch is 7 to 9% bigger than the Apache 360's.
- Apache 360 and 360 LT Mounting Kit, Track DPS Module and Engine and air intake pre-filters are required.

## Apache Accessories

### Apache Backcountry Mounting Kit

(Not illustrated)

G2 2018 & prior, G2S 2018 & prior, G2L

G3L

**715004830**

**715004993** · NEW

- Required to install Apache Backcountry Track System.
- DPS module and pre-filter not included.
- G3L: Improved installation time and switch seasons faster than ever.

### Apache 360 & 360 LT Mounting Kit

(Not illustrated)

G2 2018 & prior (except 6x6 models), G2S 2018 & prior, G2L

G2 2019 & up (except 6x6 models), G2S 2019 & up

G2 2018 & prior, G2L (6x6 models)

G2 2019 & up (6x6 models)

G3L

**715007207**

**715007206**

**715004991**

**715005105**

**715004992** · NEW

- Required to install Apache 360 and 360 LT Track Systems.
- DPS module and pre-filter not included.
- G3L: Improved installation time and switch seasons faster than ever.

### Track DPS Module

(Not illustrated)

G2, G2L, G2S, G3L (without iTC)

G3L (with iTC)

**715007338**

**715006266**

- An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease.
- Required to install the Apache and Backcountry Track Systems.



# PROMOUNT PLOWS

## PROMOUNT PLOW KITS

### Steel – Reference Chart

	54" Black Steel	54" Yellow Steel	60" Black Steel	60" Yellow Steel	66" Black Steel	66" Yellow Steel	72" Black Steel	72" Yellow Steel
Plow Kit	715006202	715006206	715006203	715006207	715006205	715006208	—	—
Blade	715004472	715005316	715004202	715005317	715006337	715006338	715004474	715006021
Push Frame	715004980	715004980	715004980	715004980	715004980	715004980	715004980	715004980
Mounting Kit	715004979	715004979	715004979	715004979	715004979	715004979	715004979	715004979

### Flex2 – Reference Chart

	60" Flex2	66" Flex2	72" Flex2
Plow Kit	715006204	715008206	—
Blade	715004203	715006265	715004485
Push Frame	715004980	715004980	715004980
Mounting Plate	715004979	715004979	715004979

### Steel Plows

#### NEW Can-Am ProMount 54" (137 cm) Steel Plow Kit

G3L

■ 715006202 · Black  
■ 715006206 · Yellow



This kit includes:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

#### NEW Can-Am ProMount 60" (152 cm) Steel Plow Kit

G3L

■ 715006203 · Black  
■ 715006207 · Yellow



This kit includes:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

#### NEW Can-Am ProMount 66" (168 cm) Steel Plow Kit

G3L

■ 715006205 · Black  
■ 715006208 · Yellow



This kit includes:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

### Can-Am ProMount Steel Blades 54" (137 cm) Blade

Fits ProMount Push Frame

■ **715004472** · Black  
■ **715005316** · Yellow



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).
- Not compatible with ProMount Drift Cutters, Blade Extensions and Edge Markers.
- Clears 50" (127 cm) when plow is fully angled.
- Blade height of 14.75" (37 cm).

### Can-Am ProMount Steel Blades 60" (152 cm) Blade

Fits ProMount Push Frame

■ **715004202** · Black  
■ **715005317** · Yellow



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

### Can-Am ProMount Steel Blades 66" (168 cm) Blade

Fits ProMount Push Frame

■ **715006337** · Black  
■ **715006338** · Yellow



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

### Can-Am ProMount Steel Blades 72" (183 cm) Blade

Fits ProMount Push Frame

■ **715004474** · Black  
■ **715006021** · Yellow



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

## Can-Am ProMount Flex2 Plow Kit

### **NEW** Can-Am ProMount 60" (152 cm) Flex2 Plow Kit

G3L

■ **715006204** · Black



- This kit includes:
- Can-Am ProMount Flex2 Blade
  - Push Frame with Quick-Attach System
  - Mounting Kit
  - Plow Roller Fairlead

### **NEW** Can-Am ProMount 66" (168 cm) Flex2 Plow Kit

G3L

■ **715008206** · Black



- This kit includes:
- Can-Am ProMount Flex2 Blade
  - Push Frame with Quick-Attach System
  - Mounting Kit
  - Plow Roller Fairlead

## Can-Am ProMount Flex2 Plows

### Can-Am ProMount Flex2 Blades – 60" (152 cm) Blade

Fits ProMount Push Frame

**715004203**



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.

### Can-Am ProMount Flex2 66" (168 cm) Blade

Fits ProMount Push Frame

**715006265**



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

### Can-Am ProMount Flex2 Blades – 72" (183 cm) Blade

Fits ProMount Push Frame

**715004485**



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 66" (168 cm) when plow is fully angled.

## Angle Plows

### Can-Am ProMount Angle Blades 60" (152 cm) Steel Oneway State Blade

G2, G2L, G2S, G3L

**715007261**



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

### Can-Am ProMount Angle Blades 66" (168 cm) Steel Oneway State Blade

G2, G2L, G2S, G3L

**715007263**



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

### Can-Am ProMount Angle Blades 72" (183 cm) Steel Oneway State Blade

G2, G2L, G2S, G3L

**715007264**



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

### ProMount One-Way State Blade Rubber Flap

(Not illustrated)

**715007299**

- Allows for more efficient snow projections in various snow conditions.



## Can-Am ProMount Plow Accessories

### NEW Can-Am ProMount Push Frame with Quick-Attach System

G2, G2L, G2S, G3L

715004980



- Heavy-duty steel tubes designed to withstand the roughest use.
- Mount location provides the ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self-aligning quick-attach system, an easy foot-release pedal and an ergonomic handle for plow angle adjustment.
- Allows blade to swivel left or right in five positions.
- Compatible with all Can-Am ProMount blades.
- Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan.
- Can-Am ProMount Mounting Kit required for installation.

### Can-Am ProMount Push Frame Extension

G2, G2L, G2S, G3L

715006257



- 12" (30 cm) push frame extension.
- Required when plow is installed with Apache Track System.

### NEW Can-Am ProMount Mounting Kit

G3L

715004979



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- 20 mm mounting rods are designed to stay in place all year round without compromising on ground clearance.
- No drilling required.
- Quick installation directly to the chassis.

### Can-Am ProMount Edge Markers

G2, G2L, G2S, G3L

715004206



- Help locate the edges of your plow.
- Height: 24" (60 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

### Can-Am ProMount Drift Cutters

G2, G2L, G2S, G3L

715004207



- Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

### Can-Am ProMount Curved Wear Blade

G2, G2L, G2S, G3L

715007791 · 60" (152 cm)

715007792 · 66" (168 cm)

715007793 · 72" (183 cm)



- Wear blade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.
- Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

### Can-Am ProMount Plow Blade Extensions

G2, G2L, G2S, G3L

■ 715004205 · Black

■ 715005319 · Yellow



- Add 3" (8 cm) each side.
- Compatible with Can-Am ProMount Blades (except for Can-Am ProMount Steel 54" (137 cm) Blade).
- Longer Wear Blade can be installed to further extend the extra length already provided by the extensions.
- Compatible with Can-Am ProMount Steel and Flex2 Blades (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

### Back Drag Blade

ProMount Plows (60" and more)

715007794



- ¼" thick steel swivel scraper.
- Lifts up when the vehicle is moving forward so as not to affect the scraping.
- Increased capacity to pull snow.
- More aggressive scraping in reverse mode.
- Lifts the blade off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60", 66" and 72" blades.
- Compatible with ProMount blades (Flex and Steel).

### Plow Roller Fairlead

G2, G2L, G2S, G3L

705009222



- Larger diameter lower roller reduces wear on wire rope for plow application.
- Can be used with all ProMount plows.
- Included in plow mounting plate kit (715007751).

### Pulley Kit for Alpine Super-Duty Plow

G2, G2L, G3L

715000279



- Pulley kit to be used in conjunction with the winch when using a snow plow.
- Recommended to increase winch efficiency.
- To be used with the XT Front Bumper.

### Plow Limit Switch

(Not illustrated)

G3L

715006319

- To control the cable tension when raising your plow system.
- Prevents winch, plow push frame and vehicle damage.

### Can-Am ProMount Plow Angling System

G2, G2L, G2S, G3L

715007801



- Converts your plow system into an easy-to-control unit from the driver's seat.
- Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.
- Compatible with ProMount Blade.
- G2, G2L, G2S: Push Frame (715007752) is required.
- G3L: Push Frame (715004980) is required.
- Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper.
- Winch and plow sold separately.

## TYRES

### NEW XPS Swamp King Tyre

G3L

705403028 • Front

705503324 • Rear



- Ultimate performance in mud without sacrificing good trail handling
- Speed rating: 110 km/h
- Ply Rating: 6
- Tread depth: 38 mm
- Front: 28x8-14
- Rear: 28x10-14



---

# PARTS

---



# TRUST GENUINE CAN-AM PARTS

To keep your vehicle performing at its best.

---

## ONE-YEAR WARRANTY\*

---

Precisely  
engineered.  
Rigorously tested.  
Factory approved.



\*Covers parts and labour when fitted at an authorized dealer.

# CAN-AM ATVs



To make sure your ATV performs as you expect,  
**keep an eye on these components:\*\***

Oil Filter	420256188
Oil Filter Cover O-Ring	420230922
Drain Plug Sealing Ring	420552280
Engine Air Filter	707800846
Spark Plug	715900785
Belt for 700/HD7	420280225
Belt for 500/HD5	420280226
Left Brake Pad	705602070
Right Brake Pad	705602071
Front CV Outer Boot Kit G3L	715500456
Front CV Inner Boot Kit G3L	715500457

Rear CV Outer Boot Kit G3L	715500464
Rear CV Inner Boot Kit G3L	715500465
Wheel Bearing	293350150
Suspension Bushing	706004511
Ball Joints Lower	706202045
Ball Joints Upper	706202044
Battery	296000444
pDrive Ramp Roller Maintenance Set	420629231
pDrive Torque Roller Maintenance Set	420629225

\*\*Refer to periodic maintenance chart for proper intervals.



EXPLORE AN ENTIRE WORLD OF ADVENTURE WITH ALL OF OUR BRP PRODUCTS. **BRP.COM**



**ski-doo LYNX SEA-DOO Can-am ROTAX ALUMACRAFT Manitou QUINTREX**

---





**CAN-AMOFFROAD.COM**

MY23

